EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1390	mobile adj2 security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:33
L2	2183	wireless adj2 security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:33
L3	3510	1 or 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:33
L4	459	3 same (cipher$4 encrypt $4 encod$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:34
L5	132	3 near5 (cipher$4 encrypt $4 encod$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:35
L6	182	3 same (cipher$4 encrypt $4 encod$4) same (authenticat$4 valid$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:35
L7	99	3 same (cipher$4 encrypt $4 encod$4) same (authenticat$4 valid$4) same (network$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:35
L8	16	3 same (cipher$4 encrypt $4 encod$4) same (authenticat$4 valid$4) same (network$4) same (terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:36
L9	0	3 same (cipher$4 encrypt $4 encod$4) same (authenticat$4 valid$4) same (network$4) same (terminal) same (("without" adj2 cipher $4) ("no" adj2 cipher$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:37

L10	6	8 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:37
L11	0	3 same (cipher$4 encrypt $4 encod$4) same (authenticat$4 valid$4) same (network$4) same (terminal) same (("without" adj2 cipher $4) ("no" adj2 cipher$4) unprotected unencrypted)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 14:39
L12	5	"669472".ap.	US-PGPUB; USPAT	OR	OFF	2009/03/12 14:39
L13	2	Oh-Myung-dae.in.	US-PGPUB; USPAT	OR	ON	2009/03/12 14:40
L14	0	((cipher$4 call information) and (mobile communication terminal) and (network) and (connect$4 a call) and (transfer$4 call information) and (without ciphering) and (transmit $4 ciphering request) and (transmit$4 ciphering authentication request message) and (transmit $4 ciphering authentication response message) and (transmit $4 ciphering activation complet$4 message) and (cipher$4 additional call information) and (after the call information)).clm.	US-PGPUB; USPAT	ADJ	ON	2009/03/12 14:44
S1	4	"669472".ap.	US-PGPUB; USPAT	OR	OFF	2007/02/08 16:36
S2	197	("6216007" "6216007" "5680439" "5809115" "6052576" "6081601" "6137885" "6373946" "6456857" "6631275" "6690798" "6704419" "6704789" "6741704" "6741860" "6857075" "7028186" "7061894" "7103363" "7136646" "20020009199" "20020034949" "20020061756" "20020066011" "20020071558" "20020169958" "20020169966"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 17:05

		"20030043762" "20040096062" "20040162065" "20050009518" "20050058096" "20050111666" "20050185619" "20050265551" "20060003696" "20060052085" "20060126603" "6314290" "6516065" "20020172365" "20020196764" "20050013439" "20050262355" "5825889" "5583916" "5710805" "5781628" "5978687" "5987137" "5239294" "5241598" "5293423" "5455863" "5537474" "5572193" "5600705" "5668875" "5689563" "5761619" "5799243" "5889861" "5991407" "6014558" "6097817" "6101543" "6101400" H001918 "6167279" "6169907" "6185626" "6195550" "6259925" "6320873" "6341220" "6363151" "6400951" "6405030" "6449473" "6556835" "6671367" "6711400" "6763112" "6804506" "6842445" "6876747" "6968190" "7020455" "7039407" "7054306" "7065340" "7076799" "7079656" "7085294" "7092398" "7110747" "7120422" "20010046240" "20010055291" "20020120844").pn.				
S3	2	"6343117".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/08 17:09
S4	0	0617528a2	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2007/02/08 17:10
S5	2	Obayashita.in.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2007/02/08 17:10

S6	765	(380/270).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/12 19:53
S7	0	"cipher$4 deactivat$4" near5 (cipher$4 transfer $4)	US-PGPUB; USPAT	ADJ	OFF	2007/12/23 14:59
S8	0	"cipher$4 deactivat$4 message"	US-PGPUB; USPAT	ADJ	OFF	2007/12/23 14:59
S9	0	cipher$4 deactivat$4 message	US-PGPUB; USPAT	ADJ	ON	2007/12/23 14:59
S10	374	deactivat$4 message	US-PGPUB; USPAT	ADJ	ON	2007/12/23 14:59
S11	13	deactivat$4 request message	US-PGPUB; USPAT	ADJ	ON	2007/12/23 16:13
S12	0	(deactivat$4 request message) with (transfer4)	US-PGPUB; USPAT	ADJ	ON	2007/12/23 15:01
S13	3	(deactivat$4 request message) with (data)	US-PGPUB; USPAT	ADJ	ON	2007/12/23 15:01
S14	1	(deactivat$4 request message) with cipher$4	US-PGPUB; USPAT	ADJ	ON	2007/12/23 15:06
S15	895	(380/270).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 16:13
S16	638	S15 and @ay <="2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 16:13
S17	0	"Oh-Myung-Dae-in."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 16:14
S18	0	"Oh-Myung-in."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 16:14
S19	0	oh-Myung.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 16:14
S20	6	oh-Myung-Dae.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 16:14

S21	3	(mobile or laptop or PDA) same (key adj2 exchang $4) same security same ad-hoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:41
S22	229	(mobile or laptop or PDA) same security same ad-hoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:42
S23	12960765	"3" and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:45
S24	229	(mobile or laptop or PDA) same security same ad-hoc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:46
S25	91	S24 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/14 17:46
S26	6	"541529".ap.	US-PGPUB; USPAT	OR	OFF	2008/08/14 20:39
S27	13	mobile same terminal same (cipher$4 request) same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 12:06
S28	11	S27 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:07
S29	9	mobile terminal same (cipher$4 request) same network same (initial$4 or start$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:08
S30	9	S29 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 18:08
S31	9	mobile terminal same (cipher$4 request) same (initial$4 or start$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:09

S32	16	mobile terminal same (initial$4 or start$4) same request same security same network$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:10
S33	9	S32 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 18:10
S34	9	mobile terminal same (cipher$4 adj2 request) same network same (initial$4 or start$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:15
S35	10	mobile terminal same (cipher$4 near5 request) same network same (initial$4 or start$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:16
S36	12	mobile same terminal same (cipher$4 near5 request) same network same (initial$4 or start$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:17
S37	10	S36 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 18:17
S38	13	mobile terminal same (cipher$4 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:18
S39	11	S38 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 18:18
S40	0	from mobile terminal same (cipher$4 request) same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:21
S41	0	from mobile terminal to network same request same security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:21

S42	0	from mobile terminal to network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:21
S43	0	from terminal to network same mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:22
S44	67	(cipher$4 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:30
S45	48	S44 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 18:30
S46	21	S45 and (mobile terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:31
S47	21	S45 and (mobile terminal) and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 18:31
S48	0	initial$4 adj2 (cipher$4 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 19:13
S49	1	initial$4 with (cipher$4 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 19:13
S50	6	initial$4 same (cipher$4 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 19:13
S51	2	S50 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:14

S52	138	(cipher$4 adj2 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 19:16
S53	13	(cipher$4 adj2 request) same (mobile) same (terminal) same (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/15 19:16
S54	11	S53 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:16
S55	95144	mobile adj2 terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 19:17
S56	86	S55 same (initial$4 or start$4) same request same (encrypt$4 or priva $4 or security or cipher $4) same (request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 19:18
S57	49	S56 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:19
S58	54	S55 same (initial$4 or start$4) same request same (encrypt$4 or priva $4 or security or cipher $4) same (network or base adj2 station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/15 19:19
S59	29	S58 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 19:20
S60	20	terminal near5 initia$4 near5 encrypt$4 near5 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 08:54
S61	14	S60 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 08:54

S62	0	terminal near5 initia$4 near5 encrypt$4 near5 request near5 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 08:59
S63	0	terminal near5 initia$4 near5 ciper$4 near5 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 08:59
S64	0	terminal near5 start$4 near5 ciper$4 near5 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 08:59
S65	0	terminal near5 transmi$4 near5 ciper$4 near5 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 09:00
S66	105	terminal near5 transmi$4 near5 encrypt$4 near5 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 09:00
S67	14	terminal near5 transmi$4 near5 encrypt$4 near5 request near5 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 09:00
S68	10	S67 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 09:01
S69	2	Oh-Myung-Dae.in.	US-PGPUB; USPAT	OR	OFF	2008/08/16 11:45
S70	1022	(380/270).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 11:46
S71	4739	(709/227).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 11:46
S72	2431	(709/228).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 11:46

S73	688	S70 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 11:47
S74	3580	S71 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 11:47
S75	1885	S72 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 11:47
S76	1	cipher$4 adj2 deactivat$4 adj2 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/18 15:13
S77	672	deactivat$4 adj2 request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/18 15:13
S78	3	S77 same (cipher$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/18 15:13
S79	173	S77 same (activat$4 adj2 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/18 15:36
S80	127	S77 with (activat$4 adj2 request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/18 15:36
S81	84	S80 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/18 15:36
S82	6	S77 with (activat$4 adj2 request) with (encrypt$4 encod$4 cipher$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/18 15:37

S83	5	S82 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/18 15:37
S84	1	"6363150".pn.	USPAT	OR	OFF	2009/01/18 15:54
S85	1095	(380/270).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/18 16:01
S86	709	S85 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/18 16:01
S87	2	OH-Myung-dae.in.	US-PGPUB; USPAT	OR	ON	2009/01/18 16:02
S88	1127	(380/270).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 11:22
S89	713	S88 and (@pd <"20021119" OR @ad <"20021119" OR @rlad <"20021119" OR @prad <"20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 11:22
S90	1439	(455/410).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 11:43
S91	2357	(455/411).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 11:43
S92	1763	(455/435.1).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 11:43
S93	718	(370/231).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 11:43
S94	1252	(370/242).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 11:43

S95	949	S90 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 11:43
S96	1473	S91 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 11:43
S97	1061	S92 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 11:44
S98	535	S93 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 11:44
S99	896	S94 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 11:44
S100	424	(380/247).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/12 12:28
S101	329	S100 and (@pd < "20021119" OR @ad < "20021119" OR @rlad < "20021119" OR @prad < "20021119")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 12:28

3/12/2009 2:45:22 PM
C:\ Documents and Settings\ ashan\ My Documents\ EAST\ Workspaces\ 10669472VoiceCallMobile.
wsp